



City of Brentwood



Standard Plans and Specifications

TABLE OF CONTENTS

STANDARD DETAILS

GRADING (G)

EXTERIOR PERIMETER PROPERTY LINE GRADING	G-1
INTERIOR PROPERTY LINE GRADING	G-2
NO LONGER USED	G-3a
NO LONGER USED	G-3b
NO LONGER USED	G-4a
NO LONGER USED	G-4b



NOTES:

1. RETAINING WALLS SHALL BE 2" x 12" PRE-TREATED WOOD. RETAINING WALLS HIGHER THAN 1' SHALL BE REINFORCED CONCRETE, CONCRETE BLOCKS OR MASONRY.
2. FOR RETAINING WALLS 3' OR HIGHER, USE G-3 OR G-4 OR G-5.
3. ALL RETAINING WALLS SHALL BE APPROVED BY THE CITY ENGINEER.
4. SEE G-2 FOR CUTS ADJACENT TO EXTERIOR PERIMETER PROPERTY LINES.

(Not To Scale)



**ENGINEERING
DEPARTMENT**




**EXTERIOR PERIMETER
PROPERTY LINE GRADING**


B. Grewal
BALWINDER S. GREWAL CITY ENGINEER

DATE: DEC. 29, 2000
REVISED: DEC. 31, 2013

SHEET No.
G-1



CUT BANKS



RETAINING WALLS

NOTES:

1. RETAINING WALLS HIGHER THAN 1' SHALL BE REINFORCED CONCRETE, CONCRETE BLOCKS, OR MASONRY.
2. ALL RETAINING WALLS SHALL BE APPROVED BY THE CITY ENGINEER.
3. FOR LOTS TO BE IN CONFORMANCE WITH FHA, NO DOUBLE RETAINING WALLS SHALL BE CONSTRUCTED ON SIDE YARDS.

(Not To Scale)



**ENGINEERING
DEPARTMENT**



INTERIOR PROPERTY LINE GRADING

B. Grewal
BALWINDER S. GREWAL CITY ENGINEER

DATE: NOV. 30, 1998
REVISED: DEC. 31, 2013

SHEET No.
G-2

This standard is no longer used.



**ENGINEERING
DEPARTMENT**



DATE: FEB. 6, 2020

REVISED:

SHEET No.

G-3a

This standard is no longer used.



**ENGINEERING
DEPARTMENT**



DATE: FEB. 6, 2020

REVISED:

SHEET No.

G-3b

This standard is no longer used.



**ENGINEERING
DEPARTMENT**



DATE: FEB. 6, 2020

REVISED:

SHEET No.

G-4a

This standard is no longer used.



**ENGINEERING
DEPARTMENT**



DATE: FEB. 6, 2020

REVISED:

SHEET No.

G-4b