## LUCKY SHOPPING CONTUR

# BRENTWOOD CENTER SIGN CRITERIA

City's, Toch Conton Hwy y ? Sano Consone rec

# SIGN TYPE "A" (SHOP TENANT SIGHTS)

Signs shall be internally illuminated individual letters. They shall be constructed of metal with plexiglass faces and a metal trim cap at the letter's edge. All wiring and ballast to be concealed. Color and letter type to be approved by owner. Sign location, area and letter size shall adhere to what is shown on this sheet.

## SIGN TYPE "B" - MAJOR TENANT SIGNS - LUCKY & THRIFTY (INTERIOR ILLUMINATED)

Major tenants primary & secondary signs shall be a combination of logo identification and individual letters as required. Signs shall be wall mounted and interior illuminated. They shall be constructed of metal with plexiglass faces. All wiring and ballast to be concealed. Primary sign location to be as indicated on elevations. Secondary signs shall be located as required by tenants - maximum area to be 350 SF for both major tenants.

# SIGN TYPE "C" (UNDER CANOPY SIGNS - OPTIONAL)

Signs shall be wood carved or painted, double-faced exterior illuminated, bracket mounted. They shall be carved from one or more pieces of wood using routing, sandblasting and/or other techniques, to include painting of sign surface. Graphics shall be in relief and painted with gloss enamels. A handcrafted effect is desired. All signs to be sized as shown on drawings. Total sign area not to exceed 5 SF per side.

# SIGN TYPE "D" (STOREFRONT WINDOW SIGN - OPTIONAL)

Signs shall be silk-screened, gold leafed, painted, acid etched, or sandblasted onto the window surface, total sign area not to exceed 25% of the window area on which placed.

# SIGN TYPE "E" (CENTER IDENTIFICATION SIGN)

Sign shall be double-faced and internally illuminated. It shall be constructed of metal with plexiglass faces and a metal trim cap at the edge. All wiring and ballast to be concealed. Color to be approved by owner. Total height of identification sign not to exceed 20 ft. Sign shall be supported on a wood structure. Maximum area per face shall not exceed 75 square feet.

### \* SIGN TYPE "F" (MONUMENT SIGN)

This sign shall be similar to sign type "A," double faced, with interior illumination. Total sign area not to exceed 25 SF, per side. One monument sign each allowed for buildings #3, 4 and 5.

### PAD TENANT SIGN

- A. Maximum aggregate sign area of 100

  SF displayed on three sides at maximum of 30 SF per side, in any combination of:

  Sign type A or B, or an interior illuminated logo sign, not exceeding the base area allowed.
- B. Pad tenant shall be allotted <u>one</u> monument sign, Type P.

### **SHOP TENANTS**

- A. Shops with 15 ft. of store frontage, a maximum of 25 SF of signage in any combination of: Sign A & C & D
- B. Shops with 20 ft. of store frontage, a maximum of 30 SF of signage in any combination of: Sign Type A, C, & D
- C. Shops with 25 ft. or more of store frontage, a maximum of 40 SF of signage in any combination of: Sign Type A, C, & D

This square footage limitation may be comprised of a combination of the following:

- 1. Internally illuminated individual letters located on the storefront mansard and centered between the lower horizontal beam and the top trim cap. The first letter in a word shall not exceed 36 inches in height and the other letters shall not exceed 16 inches with a 12 inch minimum letter size. Logos are permitted but shall not exceed 18 inches in height.
- 2. Under canopy signs, not to exceed 5 square feet, which are wood carved or painted, double faced and exterior illuminated (if illumination is desired).
- 3. Painted window signs, not to exceed 25% of the window area on which they are placed.

D. Corner tenants - areas of signs indicated above would be applied for the primary frontage and ½ of the area of signs indicated above may be applied for secondary frontage of any tenant located on any corner.

### \* GENERAL NOTES

- 1. The design and graphics for each sign shall not be limited to the style shown, but should reflect the character of the shop it identifies. Design approval will be based upon compatibility with storefront design, and with regard for the character intended for the overall development.
- 2. Signs shall conform to dimensions and materials as shown hereon. Signs shall be mounted as indicated on this drawing.
- 3. All sign designs, colors, and shop drawings must be submitted to landlord for review and approval prior to construction.
- 4. All work must be of excellent quality and identical in workmanship, materials and colors to other signs. Landlord reserves the right to reject any work judged below standard by himself, or the architect.
- 5. No banners, pennants, or temporary signs may be displayed on any building or in the parking area, and no temporary signs may be placed on the inside surfaces of any window, or hung closer than 18" behind the inside surface of any window.

- 6. Tenant will be permitted to place in the upper window panel to the right of each entrance of its demised premises not more than 144 sq. inches of Helvetica lettering by Dennison or Equal, not to exceed 2" in height, indicating hours of business, telephone numbers for emergency contact, accepted credit cards, etc.
- 7. Tenant will be permitted to place a painted plexiglass identification plaque to the right of the rear entrance door. The plaque shall not exceed 144 sq. inches of Helvetica lettering by Dennison or equal, not to exceed 2" in height, indicating tenant name and address. Plaque shall be placed in a wood frame mounted on wall surface.

B-Ctr-SC.les

# BURNI IL TELLE INICHIESSI

#### \* SIGN TYPE "?" (SHOP TERAST SIGNS)

SIGNS SHALL BE BEAM MOUNTED AND INTERNALLY ILLUMINATED INDIVIDUAL LETTERS. THEY SHALL BE CONSTRUCTED OF METAL WITH PLEXIGLASS FACES AND A METAL TRIM CAP AT THE LETTER'S EDGE. ALL WIRING AND BALLAST TO BE CONCEALED. COLOR AND LETTER TYPE TO BE APPROVED BY OWNER. LETTER SIZE SHALL NOT EXCEED THE MAXIMUM SHOWN ON THIS SHEET NOR A TOTAL SIGN AREA GREATER THAN 151 OF THE TENANT'S STOREFRONT WALL AREA.

## SIGN TYPE "B" - MAJOR TENANT SIGNS - LUCKY & THRIFTY (INTERIOR ILLENINATED)

MAJOR TENANTS PRIMARY & SECONDARY SIGNS SHALL BE A COMBINATION OF LOGO IDENTIFICATION AND IN-DIVIDUAL LETTERS AS REQUIRED. SIGNS SPALL BE WALL MOUNTED AND INTERIOR ILLUMINATED. THEY SHALL BE CONSTRUCTED OF BETAL WITH PLEXIGLASS FACES. ALL WIRING AND TALLAST TO BE CONCEALED. PRIMARY SIGN LOCATION TO BE AS INDICATED ON ELEVATIONS. SECONDARY SIGNS SHALL BE LOCATED AS REQUIRED BY TENANTS - MAXIMUM AREA TO ET 350 SP FOR BOTH MAJOR TENANTS. SIGN TYPE "C" (UNDER CANOPY SIGNS - OPTIONAL) SIGNS SHALL BE WOOD CARVED OR PAINTED, DOUBLE-FACED EXTERIOR ILLUMINATED, BRACKET MOUNTED. THEY SHALL BE CARVED FROM ONE OR MORE PIECES OF WOOD USING ROUTING, SANDBLASTING AND/OR OTHER TECHNIQUES, TO INCLUDE PAINTING OF SIGN SURFACE. GRAPHICS SHALL BE IN RELIEF AND PAINTED WITH GLOSS ENAMELS. A HANDCRAFTED EFFECT IS DESIRED. ALL SIGNS TO BE SIZED AS SHOWN ON DRAWINGS. TOTAL SIGN AREA NOT TO EXCEED 5 SF PER SIDE.

#### -SIGN TYPE "D" (STOREFRONT WINDOW SIGN - OPTIONAL)

SIGNS SHALL BE SILK-SCREENED, COLD LEAFED, PAINTED, WELL ACID ETCHED, OR SANDBLASTED ONTO THE WINDOW SURFACE, CONTOTAL SIGN AREA NOT TO EXCLED 25% OF THE WINDOW AREA ON WHICH PLACED.

#### - SIGN TYPE "E" (CENTER IDENTIFICATION SIGN )

SIGN THALL BE DOUBLE FACE OF CONTROL THE CONTROL

ILLUMINATED. IT SHALL BE CONTROL THE CONTROL

WITH PLEXIGLASS FACES AND A RETAB THIM CAP AT

THE EDGE. ALL WIRING AND BALLAST TO

BE CONCEALED. COLOR TO BE APPROVED BY OWNER.

TOTAL HEIGHT OF IDENTIFICATION SIGN NOT TO

EXCEED 20 FT. SIGN SHALL BE SUPPORTED ON A

WOOD STRUCTURE. HAXIMUM AREA PER FACE SHALL NOT

EXCEED 75 SQUARE FEET.

## \*SIGN TYPE "F" (MONUMENT SIGN)

THIS SIGN SHALL BE SIMILAR TO SIGN TYPE 'A', DOUBLE FACED, WITH INTERIOR ILLUMINATION. TOTAL SIGN AREA N. T TO EXCEED 25 SF, PER SIDE. ONE NONUMENT SIGN EACH ALLOWED FOR BUILDINGS 43, 4 AND 5.

#### PAD TENART SIGN

A. HAXIEUM AGGREGATE SIGN AREA OF 100 SF DISPLANED ON THREE SIDES AT MAXIMUM OF 30 SF PER SIDE, IN ANY COMBINATION OF:

SIGN TYPE A OR B, OR AN INTERIOR ILLUMINATED LOGO SIGN, NOT EXCEEDING THE BASE AREA ALLOWED.

THE BASE AREA ALLOWED.

ONE MODUMENT

B. PAD TENANT SHALL BE ALLOTED ONE MONUMENT SIGN, TYPE F.

#### SHOP TELAKTS

- $K, \frac{7}{5}$  SHOPS WITH 15 PT. OF FRONTAGE, A MAXIMUM OF 25  $\frac{1}{12}, \frac{7}{12}$  SF OF SIGNAGE IN ANY COMMINATION OF:
- B. SHOPS WITH 70 FT. OF FROMTAGE, A MAXIMUM OF 10 SF OF SIGNAGE IN ANY COMBINATION OF:
- SIGN TYPE A, C, & D

  C. SHOPS WITH 25 FT. OR MORE OF PROBLEGE, A MAXIBUS
  OF 40 SF OF SIGNAGE IN ARY COMBINATION OF:
  SIGN TYPE A, C, & D
- D. COLCUR TERACTS APPAS OF SIGHE ENDICATED ABOVE SCHOOL BY APPLICUTOR OF THE PERBARY FROM THE TOTAL APPAS OF SIGHS TABLECATE THE APPA OF SIGHS TABLECATE THE TABLECATE OF SIGHS TABLECATE OF SIGNS TABLECATE OF SIGHS TABLECATE OF SIGHS TABLECATE OF SIGNS TABLECATE

#### GERERAL BOTES

6.

- THE DESIGN AND GRAPHICS FOR EACH SIGN SHALL BOT BE LIMITED TO THE STYLL SHOWN, BUT SHOULD REPELECT THE CHARACTER OF THE SHOP IT IDENTIFIES. DESIGN APPROVAL WILL BE RASED UPON COMPATIBILITY WITH STOREFRONT DESIGN, AND WITH REGARD FOR THE CHARACTER INTENDED FOR THE CYCRALL DEVELOPMENT.
- SIGNS SHALL CONFORM TO DIMENSIONS AND CATEFIALS AS SHOWN RERSON. SIGNS SHALL BE HOURTED AS INDICATED ON THIS GRAWING.
- 3. ALL SIGN DESIGNS, COLORS, AND SHOT DRAWINGS HUST BE SUBMITTED TO LANDLAND FOR REVIEW AND APPROVAL PRIOR TO CONSTRUCTION.
- 4. ALL WORK MUST BE OF EXCELLERT QUALITY AND IDENTI CAL IN WORKMANSHIP, MATERIALS AND COLORS TO OTHE SIGNS. LANGLORD RESERVES THE RIGHT TO REJECT ANY WORE JUDGED BELOW STANDARD BY HIRSELF, OR TH ARCHITECT.
  - NO BATTERS, PERRANTS, OR TEMPORARY SIDES MAY BUILDING OF IN THE PAREING AS A STATE OF THE PAREING CLOSER THAN 18" BUILDO THE TUSIDE SERFACE OF THE THOUGHT OF THE TUSIDE SERFACE OF THE THOUGHT OF THE TUSIDE SERFACE OF TUSIDE SERFACE
  - TENANT WILL BE PERMITTED TO PLACE IN THE UPPER WINDOW PANEL TO THE RIGHT OF EACH ENTRANCE OF ITS DEMISED PREMISES NOT MORE THAN 144 SQ. INCHE OF HELVETICA LETTERING BY DEERISON OR EQUAL, NOT TO EXCEED 2" IN HEIGHT, INDICATING HOURS OF BUSINESS, TELEPHONE NUMBERS FOR EMERGENCY CONTACT, ACCEPTED CREDIT CARDS, ETC.
  - TENANT WILL BE PERMITTED TO PLACE A PAINTED PLEXIGENSS IDENTIFICATION PLAQUE TO THE RIGHT OF THE REAR ENTRANCE DOOR. THE PLAQUE SHALL NOT EXCEED 144 SQ. INCHES OF BELVETICA LETTERING BY DENNISON OR EQUAL, NOT TO EXCEED 2" IN BEIGHT, INDICATING TENANT HADE AND ADDRESS. PLAQUE SHALL BE PLACED IN A MOCD FRAME BOUNTED ON WALL SUFFACE